

Article number	Description	Barcode	Units
	1 stk multilock instrument sæt		
04.016.039S	MultiLoc™ Proximal Humeral Nail Ø 9.5 mm, left, cannulated, length 160 mm, Titanium Alloy (TAN), sterile	07611819431058	1
04.016.038S	MultiLoc™ Proximal Humeral Nail Ø 9.5 mm, right, cannulated, length 160 mm, Titanium Alloy (TAN), sterile	07611819431041	1
04.016.035S	MultiLoc™ Proximal Humeral Nail Ø 8.0 mm, left, cannulated, length 160 mm, Titanium Alloy (TAN), sterile	07611819431034	1
04.016.034S	MultiLoc™ Proximal Humeral Nail Ø 8.0 mm, right, cannulated, length 160 mm, Titanium Alloy (TAN), sterile	07611819431027	1
04.019.270S	MultiLoc™ Humeral Nail Ø 8.5 mm, left, cannulated, length 270 mm, Titanium Alloy (TAN), sterile	07611819516663	1
04.016.180S	MultiLoc™ Humeral Nail Ø 7.0 mm, right, cannulated, length 180 mm, Titanium Alloy (TAN), sterile	07611819500778	1
04.017.240S	MultiLoc™ Humeral Nail Ø 7.0 mm, left, cannulated, length 240 mm, Titanium Alloy (TAN), sterile	07611819431201	1
04.019.225S	MultiLoc™ Humeral Nail Ø 8.5 mm, left, cannulated, length 225 mm, Titanium Alloy (TAN), sterile	07611819516632	1
04.018.300S	MultiLoc™ Humeral Nail Ø 8.5 mm, right, cannulated, length 300 mm, Titanium Alloy (TAN), sterile	07611819516588	1
04.019.195S	MultiLoc™ Humeral Nail Ø 8.5 mm, left, cannulated, length 195 mm, Titanium Alloy (TAN), sterile	07611819516618	1
04.018.270S	MultiLoc™ Humeral Nail Ø 8.5 mm, right, cannulated, length 270 mm, Titanium Alloy (TAN), sterile	07611819516564	1
04.016.240S	MultiLoc™ Humeral Nail Ø 7.0 mm, right, cannulated, length 240 mm, Titanium Alloy (TAN), sterile	07611819431102	1
04.018.225S	MultiLoc™ Humeral Nail Ø 8.5 mm, right, cannulated, length 225 mm, Titanium Alloy (TAN), sterile	07611819516533	1
04.017.300S	MultiLoc™ Humeral Nail Ø 7.0 mm, left, cannulated, length 300 mm, Titanium Alloy (TAN), sterile	07611819501232	1
04.018.195S	MultiLoc™ Humeral Nail Ø 8.5 mm, right, cannulated, length 195 mm, Titanium Alloy (TAN), sterile	07611819516519	1
04.017.270S	MultiLoc™ Humeral Nail Ø 7.0 mm, left, cannulated, length 270 mm, Titanium Alloy (TAN), sterile	07611819501218	1
04.019.255S	MultiLoc™ Humeral Nail Ø 8.5 mm, left, cannulated, length 255 mm, Titanium Alloy (TAN), sterile	07611819516656	1
04.017.225S	MultiLoc™ Humeral Nail Ø 7.0 mm, left, cannulated, length 225 mm, Titanium Alloy (TAN), sterile	07611819501195	1
04.016.300S	MultiLoc™ Humeral Nail Ø 7.0 mm, right, cannulated, length 300 mm, Titanium Alloy (TAN), sterile	07611819501140	1
04.017.195S	MultiLoc™ Humeral Nail Ø 7.0 mm, left, cannulated, length 195 mm, Titanium Alloy (TAN), sterile	07611819501171	1
04.016.270S	MultiLoc™ Humeral Nail Ø 7.0 mm, right, cannulated, length 270 mm, Titanium Alloy (TAN), sterile	07611819501126	1
04.018.255S	MultiLoc™ Humeral Nail Ø 8.5 mm, right, cannulated, length 255 mm, Titanium Alloy (TAN), sterile	07611819516557	1
04.019.315S	MultiLoc™ Humeral Nail Ø 8.5 mm, left, cannulated, length 315 mm, Titanium Alloy (TAN), sterile	07611819516694	1
04.016.225S	MultiLoc™ Humeral Nail Ø 7.0 mm, right, cannulated, length 225 mm, Titanium Alloy (TAN), sterile	07611819501102	1
04.019.210S	MultiLoc™ Humeral Nail Ø 8.5 mm, left, cannulated, length 210 mm, Titanium Alloy (TAN), sterile	07611819516625	1
04.019.285S	MultiLoc™ Humeral Nail Ø 8.5 mm, left, cannulated, length 285 mm, Titanium Alloy (TAN), sterile	07611819516670	1
04.016.195S	MultiLoc™ Humeral Nail Ø 7.0 mm, right, cannulated, length 195 mm, Titanium Alloy (TAN), sterile	07611819500785	1
04.019.180S	MultiLoc™ Humeral Nail Ø 8.5 mm, left, cannulated, length 180 mm, Titanium Alloy (TAN), sterile	07611819516601	1
04.017.255S	MultiLoc™ Humeral Nail Ø 7.0 mm, left, cannulated, length 255 mm, Titanium Alloy (TAN), sterile	07611819501201	1
04.018.315S	MultiLoc™ Humeral Nail Ø 8.5 mm, right, cannulated, length 315 mm, Titanium Alloy (TAN), sterile	07611819516595	1
04.018.210S	MultiLoc™ Humeral Nail Ø 8.5 mm, right, cannulated, length 210 mm, Titanium Alloy (TAN), sterile	07611819516526	1
04.018.285S	MultiLoc™ Humeral Nail Ø 8.5 mm, right, cannulated, length 285 mm, Titanium Alloy (TAN), sterile	07611819516571	1
04.018.180S	MultiLoc™ Humeral Nail Ø 8.5 mm, right, cannulated, length 180 mm, Titanium Alloy (TAN), sterile	07611819516502	1
04.016.255S	MultiLoc™ Humeral Nail Ø 7.0 mm, right, cannulated, length 255 mm, Titanium Alloy (TAN), sterile	07611819501119	1
04.019.240S	MultiLoc™ Humeral Nail Ø 8.5 mm, left, cannulated, length 240 mm, Titanium Alloy (TAN), sterile	07611819516649	1
04.017.315S	MultiLoc™ Humeral Nail Ø 7.0 mm, left, cannulated, length 315 mm, Titanium Alloy (TAN), sterile	07611819501249	1
04.017.210S	MultiLoc™ Humeral Nail Ø 7.0 mm, left, cannulated, length 210 mm, Titanium Alloy (TAN), sterile	07611819501188	1
04.017.285S	MultiLoc™ Humeral Nail Ø 7.0 mm, left, cannulated, length 285 mm, Titanium Alloy (TAN), sterile	07611819501225	1
04.017.180S	MultiLoc™ Humeral Nail Ø 7.0 mm, left, cannulated, length 180 mm, Titanium Alloy (TAN), sterile	07611819501164	1
04.018.240S	MultiLoc™ Humeral Nail Ø 8.5 mm, right, cannulated, length 240 mm, Titanium Alloy (TAN), sterile	07611819516540	1
04.016.315S	MultiLoc™ Humeral Nail Ø 7.0 mm, right, cannulated, length 315 mm, Titanium Alloy (TAN), sterile	07611819501157	1
04.019.300S	MultiLoc™ Humeral Nail Ø 8.5 mm, left, cannulated, length 300 mm, Titanium Alloy (TAN), sterile	07611819516687	1
04.016.210S	MultiLoc™ Humeral Nail Ø 7.0 mm, right, cannulated, length 210 mm, Titanium Alloy (TAN), sterile	07611819500792	1
04.016.285S	MultiLoc™ Humeral Nail Ø 7.0 mm, right, cannulated, length 285 mm, Titanium Alloy (TAN), sterile	07611819501133	1
04.019.002S	MultiLoc™ End Cap for MultiLoc™ HN/PHN, extension 2 mm, Titanium Alloy (TAN), sterile	07611819431270	1

04.019.000S	MultiLoc™ End Cap for MultiLoc™ HN/PHN, extension 0 mm, Titanium Alloy (TAN), sterile	07611819431263	1
04.019.015S	MultiLoc™ End Cap for MultiLoc™ HN/PHN, extension 15 mm, Titanium Alloy (TAN), sterile	07611819457416	1
04.019.010S	MultiLoc™ End Cap for MultiLoc™ HN/PHN, extension 10 mm, Titanium Alloy (TAN), sterile	07611819431317	1
04.019.005S	MultiLoc™ End Cap for MultiLoc™ HN/PHN, extension 5 mm, Titanium Alloy (TAN), sterile	07611819457409	1
04.005.456	Locking Screw Stardrive® Ø 4.0 mm, length 66 mm, for Medullary Nails, Titanium Alloy (TAN), dark blue	07611819760097	1
04.005.454	Locking Screw Stardrive® Ø 4.0 mm, length 64 mm, for Medullary Nails, Titanium Alloy (TAN), dark blue	07611819760080	1
04.005.452	Locking Screw Stardrive® Ø 4.0 mm, length 62 mm, for Medullary Nails, Titanium Alloy (TAN), dark blue	07611819760073	1
04.005.450	Locking Screw Stardrive® Ø 4.0 mm, length 60 mm, for Medullary Nails, Titanium Alloy (TAN), dark blue	07611819760066	1
04.005.448	Locking Screw Stardrive® Ø 4.0 mm, length 58 mm, for Medullary Nails, Titanium Alloy (TAN), dark blue	07611819760059	1
04.005.446	Locking Screw Stardrive® Ø 4.0 mm, length 56 mm, for Medullary Nails, Titanium Alloy (TAN), dark blue	07611819760042	1
04.005.444	Locking Screw Stardrive® Ø 4.0 mm, length 54 mm, for Medullary Nails, Titanium Alloy (TAN), dark blue	07611819760035	1
04.005.442	Locking Screw Stardrive® Ø 4.0 mm, length 52 mm, for Medullary Nails, Titanium Alloy (TAN), dark blue	07611819760028	1
04.005.440	Locking Screw Stardrive® Ø 4.0 mm, length 50 mm, for Medullary Nails, Titanium Alloy (TAN), dark blue	07611819760011	1
04.005.438	Locking Screw Stardrive® Ø 4.0 mm, length 48 mm, for Medullary Nails, Titanium Alloy (TAN), dark blue	07611819760004	1
04.005.436	Locking Screw Stardrive® Ø 4.0 mm, length 46 mm, for Medullary Nails, Titanium Alloy (TAN), dark blue	07611819759992	1
04.005.434	Locking Screw Stardrive® Ø 4.0 mm, length 44 mm, for Medullary Nails, Titanium Alloy (TAN), dark blue	07611819759985	1
04.005.432	Locking Screw Stardrive® Ø 4.0 mm, length 42 mm, for Medullary Nails, Titanium Alloy (TAN), dark blue	07611819759978	1
04.005.430	Locking Screw Stardrive® Ø 4.0 mm, length 40 mm, for Medullary Nails, Titanium Alloy (TAN), dark blue	07611819759961	1
04.005.428	Locking Screw Stardrive® Ø 4.0 mm, length 38 mm, for Medullary Nails, Titanium Alloy (TAN), dark blue	07611819759954	1
04.005.426	Locking Screw Stardrive® Ø 4.0 mm, length 36 mm, for Medullary Nails, Titanium Alloy (TAN), dark blue	07611819759947	1
04.005.424	Locking Screw Stardrive® Ø 4.0 mm, length 34 mm, for Medullary Nails, Titanium Alloy (TAN), dark blue	07611819759930	1
04.005.422	Locking Screw Stardrive® Ø 4.0 mm, length 32 mm, for Medullary Nails, Titanium Alloy (TAN), dark blue	07611819759923	1
04.005.420	Locking Screw Stardrive® Ø 4.0 mm, length 30 mm, for Medullary Nails, Titanium Alloy (TAN), dark blue	07611819759916	1
04.005.418	Locking Screw Stardrive® Ø 4.0 mm, length 28 mm, for Medullary Nails, Titanium Alloy (TAN), dark blue	07611819759909	1
04.005.416	Locking Screw Stardrive® Ø 4.0 mm, length 26 mm, for Medullary Nails, Titanium Alloy (TAN), dark blue	07611819759893	1
04.005.414	Locking Screw Stardrive® Ø 4.0 mm, length 24 mm, for Medullary Nails, Titanium Alloy (TAN), dark blue	07611819759886	1
04.005.412	Locking Screw Stardrive® Ø 4.0 mm, length 22 mm, for Medullary Nails, Titanium Alloy (TAN), dark blue	07611819759879	1
04.005.410	Locking Screw Stardrive® Ø 4.0 mm, length 20 mm, for Medullary Nails, Titanium Alloy (TAN), dark blue	07611819759862	1
04.005.408	Locking Screw Stardrive® Ø 4.0 mm, length 18 mm, for Medullary Nails, Titanium Alloy (TAN), dark blue	07611819759855	1
04.019.060	MultiLoc™ Screw Ø 4.5 mm, length 60 mm, Titanium Alloy (TAN)	07611819426634	1
04.019.058	MultiLoc™ Screw Ø 4.5 mm, length 58 mm, Titanium Alloy (TAN)	07611819426627	1
04.019.056	MultiLoc™ Screw Ø 4.5 mm, length 56 mm, Titanium Alloy (TAN)	07611819426610	1
04.019.054	MultiLoc™ Screw Ø 4.5 mm, length 54 mm, Titanium Alloy (TAN)	07611819426603	1
04.019.052	MultiLoc™ Screw Ø 4.5 mm, length 52 mm, Titanium Alloy (TAN)	07611819426597	1
04.019.050	MultiLoc™ Screw Ø 4.5 mm, length 50 mm, Titanium Alloy (TAN)	07611819426580	1
04.019.048	MultiLoc™ Screw Ø 4.5 mm, length 48 mm, Titanium Alloy (TAN)	07611819426573	1
04.019.046	MultiLoc™ Screw Ø 4.5 mm, length 46 mm, Titanium Alloy (TAN)	07611819426566	1
04.019.044	MultiLoc™ Screw Ø 4.5 mm, length 44 mm, Titanium Alloy (TAN)	07611819426559	1
04.019.042	MultiLoc™ Screw Ø 4.5 mm, length 42 mm, Titanium Alloy (TAN)	07611819426542	1
04.019.040	MultiLoc™ Screw Ø 4.5 mm, length 40 mm, Titanium Alloy (TAN)	07611819426535	1
04.019.038	MultiLoc™ Screw Ø 4.5 mm, length 38 mm, Titanium Alloy (TAN)	07611819426528	1
04.019.036	MultiLoc™ Screw Ø 4.5 mm, length 36 mm, Titanium Alloy (TAN)	07611819426511	1
04.019.034	MultiLoc™ Screw Ø 4.5 mm, length 34 mm, Titanium Alloy (TAN)	07611819426504	1
04.019.032	MultiLoc™ Screw Ø 4.5 mm, length 32 mm, Titanium Alloy (TAN)	07611819426498	1

04.019.030	MultiLoc™ Screw Ø 4.5 mm, length 30 mm, Titanium Alloy (TAN)	07611819426481	1
04.019.028	MultiLoc™ Screw Ø 4.5 mm, length 28 mm, Titanium Alloy (TAN)	07611819426474	1
04.019.026	MultiLoc™ Screw Ø 4.5 mm, length 26 mm, Titanium Alloy (TAN)	07611819426467	1
04.019.024	MultiLoc™ Screw Ø 4.5 mm, length 24 mm, Titanium Alloy (TAN)	07611819426450	1
04.212.058	Locking Screw Stardrive® Ø 3.5 mm, self-tapping, length 58 mm, Titanium Alloy (TAN)	07611819362819	1
04.212.056	Locking Screw Stardrive® Ø 3.5 mm, self-tapping, length 56 mm, Titanium Alloy (TAN)	07611819362802	1
412.136	Locking Screw Stardrive® Ø 3.5 mm, self-tapping, length 46 mm, Titanium Alloy (TAN)	07611819286627	1
04.212.054	Locking Screw Stardrive® Ø 3.5 mm, self-tapping, length 54 mm, Titanium Alloy (TAN)	07611819362796	1
412.134	Locking Screw Stardrive® Ø 3.5 mm, self-tapping, length 44 mm, Titanium Alloy (TAN)	07611819286610	1
412.124	Locking Screw Stardrive® Ø 3.5 mm, self-tapping, length 60 mm, Titanium Alloy (TAN)	07611819126251	1
412.122	Locking Screw Stardrive® Ø 3.5 mm, self-tapping, length 52 mm, Titanium Alloy (TAN)	07611819126237	1
412.121	Locking Screw Stardrive® Ø 3.5 mm, self-tapping, length 50 mm, Titanium Alloy (TAN)	07611819126220	1
412.120	Locking Screw Stardrive® Ø 3.5 mm, self-tapping, length 48 mm, Titanium Alloy (TAN)	07611819126213	1
412.118	Locking Screw Stardrive® Ø 3.5 mm, self-tapping, length 42 mm, Titanium Alloy (TAN)	07611819126190	1
412.117	Locking Screw Stardrive® Ø 3.5 mm, self-tapping, length 40 mm, Titanium Alloy (TAN)	07611819126183	1
412.116	Locking Screw Stardrive® Ø 3.5 mm, self-tapping, length 38 mm, Titanium Alloy (TAN)	07611819126176	1
412.115	Locking Screw Stardrive® Ø 3.5 mm, self-tapping, length 36 mm, Titanium Alloy (TAN)	07611819126169	1
412.113	Locking Screw Stardrive® Ø 3.5 mm, self-tapping, length 34 mm, Titanium Alloy (TAN)	07611819126145	1
412.112	Locking Screw Stardrive® Ø 3.5 mm, self-tapping, length 32 mm, Titanium Alloy (TAN)	07611819126138	1
412.111	Locking Screw Stardrive® Ø 3.5 mm, self-tapping, length 30 mm, Titanium Alloy (TAN)	07611819126121	1
412.110	Locking Screw Stardrive® Ø 3.5 mm, self-tapping, length 28 mm, Titanium Alloy (TAN)	07611819126114	1
412.109	Locking Screw Stardrive® Ø 3.5 mm, self-tapping, length 26 mm, Titanium Alloy (TAN)	07611819126107	1
	2 stk expert tibia instrument sæt		
04.004.258S	Expert™ Tibial Nail Ø 8.0 mm, cannulated, length 390 mm, Titanium Alloy (TAN), dark blue, sterile	07611819198883	2
04.004.473S	Expert™ Tibial Nail Ø 10.0 mm, cannulated, length 465 mm, Titanium Alloy (TAN), light green, sterile	07611819199217	1
04.004.261S	Expert™ Tibial Nail Ø 8.0 mm, cannulated, length 405 mm, Titanium Alloy (TAN), dark blue, sterile	07611819198890	2
04.004.364S	Expert™ Tibial Nail Ø 9.0 mm, cannulated, length 420 mm, Titanium Alloy (TAN), dark blue, sterile	07611819199040	2
04.004.467S	Expert™ Tibial Nail Ø 10.0 mm, cannulated, length 435 mm, Titanium Alloy (TAN), light green, sterile	07611819199194	2
04.004.255S	Expert™ Tibial Nail Ø 8.0 mm, cannulated, length 375 mm, Titanium Alloy (TAN), dark blue, sterile	07611819198876	2
04.004.470S	Expert™ Tibial Nail Ø 10.0 mm, cannulated, length 450 mm, Titanium Alloy (TAN), light green, sterile	07611819199200	2
04.004.358S	Expert™ Tibial Nail Ø 9.0 mm, cannulated, length 390 mm, Titanium Alloy (TAN), dark blue, sterile	07611819199026	2
04.004.361S	Expert™ Tibial Nail Ø 9.0 mm, cannulated, length 405 mm, Titanium Alloy (TAN), dark blue, sterile	07611819199033	2
04.004.249S	Expert™ Tibial Nail Ø 8.0 mm, cannulated, length 345 mm, Titanium Alloy (TAN), dark blue, sterile	07611819198852	2
04.004.464S	Expert™ Tibial Nail Ø 10.0 mm, cannulated, length 420 mm, Titanium Alloy (TAN), light green, sterile	07611819199187	2
04.004.252S	Expert™ Tibial Nail Ø 8.0 mm, cannulated, length 360 mm, Titanium Alloy (TAN), dark blue, sterile	07611819198869	2
04.004.355S	Expert™ Tibial Nail Ø 9.0 mm, cannulated, length 375 mm, Titanium Alloy (TAN), dark blue, sterile	07611819199019	2
04.004.458S	Expert™ Tibial Nail Ø 10.0 mm, cannulated, length 390 mm, Titanium Alloy (TAN), light green, sterile	07611819199163	2
04.004.246S	Expert™ Tibial Nail Ø 8.0 mm, cannulated, length 330 mm, Titanium Alloy (TAN), dark blue, sterile	07611819198845	2
04.004.461S	Expert™ Tibial Nail Ø 10.0 mm, cannulated, length 405 mm, Titanium Alloy (TAN), light green, sterile	07611819199170	2
04.004.349S	Expert™ Tibial Nail Ø 9.0 mm, cannulated, length 345 mm, Titanium Alloy (TAN), dark blue, sterile	07611819198999	2
04.004.352S	Expert™ Tibial Nail Ø 9.0 mm, cannulated, length 360 mm, Titanium Alloy (TAN), dark blue, sterile	07611819199002	2
04.004.455S	Expert™ Tibial Nail Ø 10.0 mm, cannulated, length 375 mm, Titanium Alloy (TAN), light green, sterile	07611819199156	2
04.004.243S	Expert™ Tibial Nail Ø 8.0 mm, cannulated, length 315 mm, Titanium Alloy (TAN), dark blue, sterile	07611819198838	2
04.004.346S	Expert™ Tibial Nail Ø 9.0 mm, cannulated, length 330 mm, Titanium Alloy (TAN), dark blue, sterile	07611819198982	2

04.005.558	Locking Screw Stardrive® Ø 5.0 mm, length 68 mm, for Medullary Nails, Titanium Alloy (TAN), light green	07611819760387	1
04.005.556	Locking Screw Stardrive® Ø 5.0 mm, length 66 mm, for Medullary Nails, Titanium Alloy (TAN), light green	07611819760370	1
04.005.554	Locking Screw Stardrive® Ø 5.0 mm, length 64 mm, for Medullary Nails, Titanium Alloy (TAN), light green	07611819760363	1
04.005.552	Locking Screw Stardrive® Ø 5.0 mm, length 62 mm, for Medullary Nails, Titanium Alloy (TAN), light green	07611819760356	1
04.005.550	Locking Screw Stardrive® Ø 5.0 mm, length 60 mm, for Medullary Nails, Titanium Alloy (TAN), light green	07611819760349	1
04.005.548	Locking Screw Stardrive® Ø 5.0 mm, length 58 mm, for Medullary Nails, Titanium Alloy (TAN), light green	07611819760332	1
04.005.546	Locking Screw Stardrive® Ø 5.0 mm, length 56 mm, for Medullary Nails, Titanium Alloy (TAN), light green	07611819760325	1
04.005.544	Locking Screw Stardrive® Ø 5.0 mm, length 54 mm, for Medullary Nails, Titanium Alloy (TAN), light green	07611819760318	1
04.005.542	Locking Screw Stardrive® Ø 5.0 mm, length 52 mm, for Medullary Nails, Titanium Alloy (TAN), light green	07611819760301	1
04.005.540	Locking Screw Stardrive® Ø 5.0 mm, length 50 mm, for Medullary Nails, Titanium Alloy (TAN), light green	07611819760295	1
04.005.538	Locking Screw Stardrive® Ø 5.0 mm, length 48 mm, for Medullary Nails, Titanium Alloy (TAN), light green	07611819760288	1
04.005.536	Locking Screw Stardrive® Ø 5.0 mm, length 46 mm, for Medullary Nails, Titanium Alloy (TAN), light green	07611819760271	1
04.005.534	Locking Screw Stardrive® Ø 5.0 mm, length 44 mm, for Medullary Nails, Titanium Alloy (TAN), light green	07611819760264	1
04.005.532	Locking Screw Stardrive® Ø 5.0 mm, length 42 mm, for Medullary Nails, Titanium Alloy (TAN), light green	07611819760257	1
04.005.530	Locking Screw Stardrive® Ø 5.0 mm, length 40 mm, for Medullary Nails, Titanium Alloy (TAN), light green	07611819760240	1
04.005.528	Locking Screw Stardrive® Ø 5.0 mm, length 38 mm, for Medullary Nails, Titanium Alloy (TAN), light green	07611819760233	1
04.005.526	Locking Screw Stardrive® Ø 5.0 mm, length 36 mm, for Medullary Nails, Titanium Alloy (TAN), light green	07611819760226	1
04.005.524	Locking Screw Stardrive® Ø 5.0 mm, length 34 mm, for Medullary Nails, Titanium Alloy (TAN), light green	07611819760219	1
04.005.522	Locking Screw Stardrive® Ø 5.0 mm, length 32 mm, for Medullary Nails, Titanium Alloy (TAN), light green	07611819760202	1
04.005.520	Locking Screw Stardrive® Ø 5.0 mm, length 30 mm, for Medullary Nails, Titanium Alloy (TAN), light green	07611819760196	1
04.005.518	Locking Screw Stardrive® Ø 5.0 mm, length 28 mm, for Medullary Nails, Titanium Alloy (TAN), light green	07611819760189	1
04.005.516	Locking Screw Stardrive® Ø 5.0 mm, length 26 mm, for Medullary Nails, Titanium Alloy (TAN), light green	07611819760172	1
04.015.570S	Cancellous Bone Locking Screw Stardrive® Ø 5.0 mm with dual core, self-tapping, length 80 mm, Titanium Alloy (TAN), gold, sterile	07611819199743	1
04.015.530S	Cancellous Bone Locking Screw Stardrive® Ø 5.0 mm with dual core, self-tapping, length 40 mm, Titanium Alloy (TAN), gold, sterile	07611819199675	1
04.015.565S	Cancellous Bone Locking Screw Stardrive® Ø 5.0 mm with dual core, self-tapping, length 75 mm, Titanium Alloy (TAN), gold, sterile	07611819199736	1
04.015.560S	Cancellous Bone Locking Screw Stardrive® Ø 5.0 mm with dual core, self-tapping, length 70 mm, Titanium Alloy (TAN), gold, sterile	07611819199729	1
04.015.555S	Cancellous Bone Locking Screw Stardrive® Ø 5.0 mm with dual core, self-tapping, length 65 mm, Titanium Alloy (TAN), gold, sterile	07611819199712	1
04.015.550S	Cancellous Bone Locking Screw Stardrive® Ø 5.0 mm with dual core, self-tapping, length 60 mm, Titanium Alloy (TAN), gold, sterile	07611819172722	1
04.015.545S	Cancellous Bone Locking Screw Stardrive® Ø 5.0 mm with dual core, self-tapping, length 55 mm, Titanium Alloy (TAN), gold, sterile	07611819199705	1
04.015.580S	Cancellous Bone Locking Screw Stardrive® Ø 5.0 mm with dual core, self-tapping, length 90 mm, Titanium Alloy (TAN), gold, sterile	07611819199767	1
04.015.540S	Cancellous Bone Locking Screw Stardrive® Ø 5.0 mm with dual core, self-tapping, length 50 mm, Titanium Alloy (TAN), gold, sterile	07611819199699	1
04.015.575S	Cancellous Bone Locking Screw Stardrive® Ø 5.0 mm with dual core, self-tapping, length 85 mm, Titanium Alloy (TAN), gold, sterile	07611819199750	1
04.015.535S	Cancellous Bone Locking Screw Stardrive® Ø 5.0 mm with dual core, self-tapping, length 45 mm, Titanium Alloy (TAN), gold, sterile	07611819199682	1
04.004.001S	Expert™ End Cap for Tibial Nails Ø 8.0 to 13.0 mm, extension 5 mm, Titanium Alloy (TAN), gold, sterile	07611819198777	1
04.004.000S	Expert™ End Cap for Tibial Nails Ø 8.0 to 13.0 mm, extension 0 mm, Titanium Alloy (TAN), gold, sterile	07611819172661	1
04.004.003S	Expert™ End Cap for Tibial Nails Ø 8.0 to 13.0 mm, extension 15 mm, Titanium Alloy (TAN), gold, sterile	07611819172678	1
04.004.002S	Expert™ End Cap for Tibial Nails Ø 8.0 to 13.0 mm, extension 10 mm, Titanium Alloy (TAN), gold, sterile	07611819198784	1
04.004.004S	Expert™ End Cap for Tibial Nails Ø 8.0 to 13.0 mm, long, extension 0 mm, Titanium Alloy (TAN), gold, sterile	07611819198760	1
	2 stk expert lfn instrumentsæt		
04.003.452S	Expert™ Lateral Femoral Nail Ø 11.0 mm, right, cannulated, length 360 mm, Titanium Alloy (TAN), sterile	07611819777583	1
04.003.468S	Expert™ Lateral Femoral Nail Ø 11.0 mm, right, cannulated, length 440 mm, Titanium Alloy (TAN), sterile	07611819777668	1
04.003.448S	Expert™ Lateral Femoral Nail Ø 11.0 mm, right, cannulated, length 340 mm, Titanium Alloy (TAN), sterile	07611819777569	1
04.003.660S	Expert™ Lateral Femoral Nail Ø 13.0 mm, right, cannulated, length 400 mm, Titanium Alloy (TAN), sterile	07611819778023	1

04.003.001S	Expert™ End Cap Ø 12.0 mm, cannulated, extension 5 mm, for LFN and R/AFN, Titanium Alloy (TAN), grey, sterile	07611819777408	1
04.003.000S	Expert™ End Cap Ø 12.0 mm, cannulated, extension 0 mm, for LFN and R/AFN, grey, sterile	07611819777392	1
04.003.034S	Hip Screw Stardrive® Ø 6.5 mm, self-tapping, length 120 mm, for Expert™ LFN, Titanium Alloy (TAN), sterile	07611819802780	1
04.003.033S	Hip Screw Stardrive® Ø 6.5 mm, self-tapping, length 115 mm, for Expert™ LFN, Titanium Alloy (TAN), sterile	07611819802773	1
04.003.029S	Hip Screw Stardrive® Ø 6.5 mm, self-tapping, length 95 mm, for Expert™ LFN, Titanium Alloy (TAN), sterile	07611819802735	1
04.003.032S	Hip Screw Stardrive® Ø 6.5 mm, self-tapping, length 110 mm, for Expert™ LFN, Titanium Alloy (TAN), sterile	07611819802766	1
04.003.028S	Hip Screw Stardrive® Ø 6.5 mm, self-tapping, length 90 mm, for Expert™ LFN, Titanium Alloy (TAN), sterile	07611819802728	1
04.003.031S	Hip Screw Stardrive® Ø 6.5 mm, self-tapping, length 105 mm, for Expert™ LFN, Titanium Alloy (TAN), sterile	07611819802759	1
04.003.027S	Hip Screw Stardrive® Ø 6.5 mm, self-tapping, length 85 mm, for Expert™ LFN, Titanium Alloy (TAN), sterile	07611819802711	1
04.003.030S	Hip Screw Stardrive® Ø 6.5 mm, self-tapping, length 100 mm, for Expert™ LFN, Titanium Alloy (TAN), sterile	07611819802742	1
04.003.026S	Hip Screw Stardrive® Ø 6.5 mm, self-tapping, length 80 mm, for Expert™ LFN, Titanium Alloy (TAN), sterile	07611819802704	1
04.003.025S	Hip Screw Stardrive® Ø 6.5 mm, self-tapping, length 75 mm, for Expert™ LFN, Titanium Alloy (TAN), sterile	07611819802698	1
04.003.024S	Hip Screw Stardrive® Ø 6.5 mm, self-tapping, length 70 mm, for Expert™ LFN, Titanium Alloy (TAN), sterile	07611819802681	1
	2 stk expert rafn instrument sæt.		
04.013.452S	Expert™ Retrograde/Antegrade Femoral Nail Ø 10.0 mm, cannulated, length 360 mm, Titanium Alloy (TAN), light green, sterile	07611819834637	1
04.013.468S	Expert™ Retrograde/Antegrade Femoral Nail Ø 10.0 mm, cannulated, length 440 mm, Titanium Alloy (TAN), light green, sterile	07611819834675	1
04.013.448S	Expert™ Retrograde/Antegrade Femoral Nail Ø 10.0 mm, cannulated, length 340 mm, Titanium Alloy (TAN), light green, sterile	07611819834620	1
04.013.364S	Expert™ Retrograde/Antegrade Femoral Nail Ø 9.0 mm, cannulated, length 420 mm, Titanium Alloy (TAN), light green, sterile	07611819834491	1
04.013.344S	Expert™ Retrograde/Antegrade Femoral Nail Ø 9.0 mm, cannulated, length 320 mm, Titanium Alloy (TAN), light green, sterile	07611819834446	1
04.013.464S	Expert™ Retrograde/Antegrade Femoral Nail Ø 10.0 mm, cannulated, length 420 mm, Titanium Alloy (TAN), light green, sterile	07611819834668	1
04.013.444S	Expert™ Retrograde/Antegrade Femoral Nail Ø 10.0 mm, cannulated, length 320 mm, Titanium Alloy (TAN), light green, sterile	07611819834613	1
04.013.360S	Expert™ Retrograde/Antegrade Femoral Nail Ø 9.0 mm, cannulated, length 400 mm, Titanium Alloy (TAN), light green, sterile	07611819834484	1
04.013.340S	Expert™ Retrograde/Antegrade Femoral Nail Ø 9.0 mm, cannulated, length 300 mm, Titanium Alloy (TAN), light green, sterile	07611819834439	1
04.013.356S	Expert™ Retrograde/Antegrade Femoral Nail Ø 9.0 mm, cannulated, length 380 mm, Titanium Alloy (TAN), light green, sterile	07611819834477	1
04.013.460S	Expert™ Retrograde/Antegrade Femoral Nail Ø 10.0 mm, cannulated, length 400 mm, Titanium Alloy (TAN), light green, sterile	07611819834651	1
04.013.440S	Expert™ Retrograde/Antegrade Femoral Nail Ø 10.0 mm, cannulated, length 300 mm, Titanium Alloy (TAN), light green, sterile	07611819834606	1
04.013.456S	Expert™ Retrograde/Antegrade Femoral Nail Ø 10.0 mm, cannulated, length 380 mm, Titanium Alloy (TAN), light green, sterile	07611819834644	1
04.013.352S	Expert™ Retrograde/Antegrade Femoral Nail Ø 9.0 mm, cannulated, length 360 mm, Titanium Alloy (TAN), light green, sterile	07611819834460	1
04.013.368S	Expert™ Retrograde/Antegrade Femoral Nail Ø 9.0 mm, cannulated, length 440 mm, Titanium Alloy (TAN), light green, sterile	07611819834507	1
04.013.348S	Expert™ Retrograde/Antegrade Femoral Nail Ø 9.0 mm, cannulated, length 340 mm, Titanium Alloy (TAN), light green, sterile	07611819834453	1
04.013.768	Expert™ Retrograde/Antegrade Femoral Nail Ø 13.0 mm, cannulated, length 440 mm, Titanium Alloy (TAN), light green	07611819793316	1
04.013.764	Expert™ Retrograde/Antegrade Femoral Nail Ø 13.0 mm, cannulated, length 420 mm, Titanium Alloy (TAN), light green	07611819793309	1
04.013.760	Expert™ Retrograde/Antegrade Femoral Nail Ø 13.0 mm, cannulated, length 400 mm, Titanium Alloy (TAN), light green	07611819793293	1
04.013.756	Expert™ Retrograde/Antegrade Femoral Nail Ø 13.0 mm, cannulated, length 380 mm, Titanium Alloy (TAN), light green	07611819793286	1
04.013.752	Expert™ Retrograde/Antegrade Femoral Nail Ø 13.0 mm, cannulated, length 360 mm, Titanium Alloy (TAN), light green	07611819793279	1
04.013.748	Expert™ Retrograde/Antegrade Femoral Nail Ø 13.0 mm, cannulated, length 340 mm, Titanium Alloy (TAN), light green	07611819793262	1
04.013.744	Expert™ Retrograde/Antegrade Femoral Nail Ø 13.0 mm, cannulated, length 320 mm, Titanium Alloy (TAN), light green	07611819793255	1
04.013.740	Expert™ Retrograde/Antegrade Femoral Nail Ø 13.0 mm, cannulated, length 300 mm, Titanium Alloy (TAN), light green	07611819793248	1
	4 stk pfna instumentsæt.		
04.027.000S	PFNA End Cap, extension 0 mm, Stardrive®, T40, Titanium Alloy (TAN), sterile	07611819332188	1
04.027.034S	PFNA Blade, perforated, length 95 mm, Titanium Alloy (TAN), sterile	07611819368989	1
04.027.033S	PFNA Blade, perforated, length 90 mm, Titanium Alloy (TAN), sterile	07611819368972	1
04.027.032S	PFNA Blade, perforated, length 85 mm, Titanium Alloy (TAN), sterile	07611819368965	1
04.027.031S	PFNA Blade, perforated, length 80 mm, Titanium Alloy (TAN), sterile	07611819368958	1
04.027.039S	PFNA Blade, perforated, length 120 mm, Titanium Alloy (TAN), sterile	07611819369535	1
04.027.038S	PFNA Blade, perforated, length 115 mm, Titanium Alloy (TAN), sterile	07611819369528	1

04.027.037S	PFNA Blade, perforated, length 110 mm, Titanium Alloy (TAN), sterile	07611819369511	1
04.027.036S	PFNA Blade, perforated, length 105 mm, Titanium Alloy (TAN), sterile	07611819369504	1
04.027.035S	PFNA Blade, perforated, length 100 mm, Titanium Alloy (TAN), sterile	07611819368996	1
04.027.003S	PFNA End Cap, extension 15 mm, Stardrive®, T40, Titanium Alloy (TAN), sterile	07611819332218	1
04.027.002S	PFNA End Cap, extension 10 mm, Stardrive®, T40, Titanium Alloy (TAN), sterile	07611819332201	1
04.027.001S	PFNA End Cap, extension 5 mm, Stardrive®, T40, Titanium Alloy (TAN), sterile	07611819332195	1
472.390S	PFNA - Proximal Femoral Nail Ø 10.0 mm, extra-small, 130°, length 170 mm, Titanium Alloy (TAN), sterile	07611819289284	1
472.437S	PFNA - Proximal Femoral Nail Ø 9.0 mm, extra-small, 130°, length 170 mm, Titanium Alloy (TAN), sterile	07611819292222	1
472.260S	PFNA - Proximal Femoral Nail Ø 10.0 mm, 125°, length 240 mm, Titanium Alloy (TAN), sterile	07611819291034	1
472.266S	PFNA - Proximal Femoral Nail Ø 11.0 mm, 130°, length 240 mm, Titanium Alloy (TAN), sterile	07611819289291	6
472.265S	PFNA - Proximal Femoral Nail Ø 10.0 mm, 130°, length 240 mm, Titanium Alloy (TAN), sterile	07611819289239	6
472.401S	PFNA - Proximal Femoral Nail Ø 9.0 mm, 130°, length 240 mm, Titanium Alloy (TAN), sterile	07611819292864	6
472.267S	PFNA - Proximal Femoral Nail Ø 12.0 mm, 130°, length 240 mm, Titanium Alloy (TAN), sterile	07611819291065	6
472.413S	PFNA - Proximal Femoral Nail Ø 9.0 mm, long, left, 130°, length 340 mm, Titanium Alloy (TAN), sterile	07611819295223	2
04.027.193S	PFNA - Proximal Femoral Nail Ø 9.0 mm, long, left, 130°, length 420 mm, Titanium Alloy (TAN), sterile	07611819997905	2
04.027.189S	PFNA - Proximal Femoral Nail Ø 9.0 mm, long, left, 130°, length 380 mm, Titanium Alloy (TAN), sterile	07611819997868	2
472.412S	PFNA - Proximal Femoral Nail Ø 9.0 mm, long, right, 130°, length 340 mm, Titanium Alloy (TAN), sterile	07611819295216	2
04.027.192S	PFNA - Proximal Femoral Nail Ø 9.0 mm, long, right, 130°, length 420 mm, Titanium Alloy (TAN), sterile	07611819997899	2
04.027.188S	PFNA - Proximal Femoral Nail Ø 9.0 mm, long, right, 130°, length 380 mm, Titanium Alloy (TAN), sterile	07611819997851	2
04.027.191S	PFNA - Proximal Femoral Nail Ø 9.0 mm, long, left, 130°, length 400 mm, Titanium Alloy (TAN), sterile	07611819997882	2
04.027.187S	PFNA - Proximal Femoral Nail Ø 9.0 mm, long, left, 130°, length 360 mm, Titanium Alloy (TAN), sterile	07611819997844	2
04.027.190S	PFNA - Proximal Femoral Nail Ø 9.0 mm, long, right, 130°, length 400 mm, Titanium Alloy (TAN), sterile	07611819997875	2
04.027.186S	PFNA - Proximal Femoral Nail Ø 9.0 mm, long, right, 130°, length 360 mm, Titanium Alloy (TAN), sterile	07611819997837	2
04.023.105S	PFNA - Proximal Femoral Nail Ø 9.0 mm, long, left, 130°, length 300 mm, Titanium Alloy (TAN), sterile	07611819297111	2
04.023.104S	PFNA - Proximal Femoral Nail Ø 9.0 mm, long, right, 130°, length 300 mm, Titanium Alloy (TAN), sterile	07611819297104	2
04.027.183S	PFNA - Proximal Femoral Nail Ø 9.0 mm, long, left, 130°, length 320 mm, Titanium Alloy (TAN), sterile	07611819997820	2
04.027.182S	PFNA - Proximal Femoral Nail Ø 9.0 mm, long, right, 130°, length 320 mm, Titanium Alloy (TAN), sterile	07611819997813	2
04.027.223S	PFNA - Proximal Femoral Nail Ø 10.0 mm, long, left, 130°, length 320 mm, Titanium Alloy (TAN), sterile	07611819997981	1
04.027.222S	PFNA - Proximal Femoral Nail Ø 10.0 mm, long, right, 130°, length 320 mm, Titanium Alloy (TAN), sterile	07611819997974	1
472.310S	PFNA - Proximal Femoral Nail Ø 10.0 mm, long, right, 130°, length 420 mm, Titanium Alloy (TAN), sterile	07611819289253	1
472.325S	PFNA - Proximal Femoral Nail Ø 10.0 mm, long, left, 130°, length 340 mm, Titanium Alloy (TAN), sterile	07611819293168	1
472.280S	PFNA - Proximal Femoral Nail Ø 10.0 mm, long, right, 130°, length 340 mm, Titanium Alloy (TAN), sterile	07611819290921	1
04.023.107S	PFNA - Proximal Femoral Nail Ø 10.0 mm, long, left, 130°, length 300 mm, Titanium Alloy (TAN), sterile	07611819297135	1
472.295S	PFNA - Proximal Femoral Nail Ø 10.0 mm, long, right, 130°, length 380 mm, Titanium Alloy (TAN), sterile	07611819290945	1
04.023.106S	PFNA - Proximal Femoral Nail Ø 10.0 mm, long, right, 130°, length 300 mm, Titanium Alloy (TAN), sterile	07611819297128	1
04.027.231S	PFNA - Proximal Femoral Nail Ø 10.0 mm, long, left, 130°, length 400 mm, Titanium Alloy (TAN), sterile	07611819998025	1
04.027.227S	PFNA - Proximal Femoral Nail Ø 10.0 mm, long, left, 130°, length 360 mm, Titanium Alloy (TAN), sterile	07611819998001	1
472.340S	PFNA - Proximal Femoral Nail Ø 10.0 mm, long, left, 130°, length 380 mm, Titanium Alloy (TAN), sterile	07611819293175	1
04.027.230S	PFNA - Proximal Femoral Nail Ø 10.0 mm, long, right, 130°, length 400 mm, Titanium Alloy (TAN), sterile	07611819998018	1
04.027.226S	PFNA - Proximal Femoral Nail Ø 10.0 mm, long, right, 130°, length 360 mm, Titanium Alloy (TAN), sterile	07611819997998	1
472.355S	PFNA - Proximal Femoral Nail Ø 10.0 mm, long, left, 130°, length 420 mm, Titanium Alloy (TAN), sterile	07611819293199	1
459.420	Locking Bolt Ø 4.9 mm, self-tapping, length 42 mm, Titanium Alloy (TAN), green	07611819043152	1
459.580	Locking Bolt Ø 4.9 mm, self-tapping, length 58 mm, Titanium Alloy (TAN), green	07611819043237	1
459.380	Locking Bolt Ø 4.9 mm, self-tapping, length 38 mm, Titanium Alloy (TAN), green	07611819043138	1
459.800	Locking Bolt Ø 4.9 mm, self-tapping, length 80 mm, Titanium Alloy (TAN), green	07611819043299	1
459.960	Locking Bolt Ø 4.9 mm, self-tapping, length 100 mm, Titanium Alloy (TAN), green	07611819043336	1
459.600	Locking Bolt Ø 4.9 mm, self-tapping, length 60 mm, Titanium Alloy (TAN), green	07611819043244	1

459.760	Locking Bolt Ø 4.9 mm, self-tapping, length 76 mm, Titanium Alloy (TAN), green	07611819043282	1
459.400	Locking Bolt Ø 4.9 mm, self-tapping, length 40 mm, Titanium Alloy (TAN), green	07611819043145	1
459.560	Locking Bolt Ø 4.9 mm, self-tapping, length 56 mm, Titanium Alloy (TAN), green	07611819043220	1
459.360	Locking Bolt Ø 4.9 mm, self-tapping, length 36 mm, Titanium Alloy (TAN), green	07611819043121	1
459.950	Locking Bolt Ø 4.9 mm, self-tapping, length 95 mm, Titanium Alloy (TAN), green	07611819043329	1
459.540	Locking Bolt Ø 4.9 mm, self-tapping, length 54 mm, Titanium Alloy (TAN), green	07611819043213	1
459.340	Locking Bolt Ø 4.9 mm, self-tapping, length 34 mm, Titanium Alloy (TAN), green	07611819043114	1
459.720	Locking Bolt Ø 4.9 mm, self-tapping, length 72 mm, Titanium Alloy (TAN), green	07611819043275	1
459.520	Locking Bolt Ø 4.9 mm, self-tapping, length 52 mm, Titanium Alloy (TAN), green	07611819043206	1
459.680	Locking Bolt Ø 4.9 mm, self-tapping, length 68 mm, Titanium Alloy (TAN), green	07611819043268	1
459.320	Locking Bolt Ø 4.9 mm, self-tapping, length 32 mm, Titanium Alloy (TAN), green	07611819043107	1
459.480	Locking Bolt Ø 4.9 mm, self-tapping, length 48 mm, Titanium Alloy (TAN), green	07611819043183	1
459.280	Locking Bolt Ø 4.9 mm, self-tapping, length 28 mm, Titanium Alloy (TAN), green	07611819043084	1
459.900	Locking Bolt Ø 4.9 mm, self-tapping, length 90 mm, Titanium Alloy (TAN), green	07611819043312	1
459.500	Locking Bolt Ø 4.9 mm, self-tapping, length 50 mm, Titanium Alloy (TAN), green	07611819043190	1
459.300	Locking Bolt Ø 4.9 mm, self-tapping, length 30 mm, Titanium Alloy (TAN), green	07611819043091	1
459.460	Locking Bolt Ø 4.9 mm, self-tapping, length 46 mm, Titanium Alloy (TAN), green	07611819043176	1
459.260	Locking Bolt Ø 4.9 mm, self-tapping, length 26 mm, Titanium Alloy (TAN), green	07611819043077	1
459.850	Locking Bolt Ø 4.9 mm, self-tapping, length 85 mm, Titanium Alloy (TAN), green	07611819043305	1
459.640	Locking Bolt Ø 4.9 mm, self-tapping, length 64 mm, Titanium Alloy (TAN), green	07611819043251	1
459.440	Locking Bolt Ø 4.9 mm, self-tapping, length 44 mm, Titanium Alloy (TAN), green	07611819043169	1
03.702.120S	Trauma Needle Kit, Ø 3.3 mm Cannula with side-opening, sterile	07611819403963	2
07.702.040S	Traumacem V+ Cement Kit, 10 ml, sterile	07611819453425	2
03.702.150S	Trauma Syringe Kit, 4 x 1 mL, 2 x 2 mL, sterile	07611819476523	2
	1 stk asls instrument sæt.		
08.025.032.01S	Sleeve ASLS4, resorbable, sterile	07611819365247	10
08.025.044.01S	Sleeve ASLS5, resorbable, sterile	07611819365254	10
04.025.462S	Screw ASLS4, length 72 mm, Titanium Alloy (TAN), only to be used with No. 08.025.032S, sterile	07611819302822	2
04.025.442S	Screw ASLS4, length 52 mm, Titanium Alloy (TAN), only to be used with No. 08.025.032S, sterile	07611819302723	2
04.025.458S	Screw ASLS4, length 68 mm, Titanium Alloy (TAN), only to be used with No. 08.025.032S, sterile	07611819302808	2
04.025.422S	Screw ASLS4, length 32 mm, Titanium Alloy (TAN), only to be used with No. 08.025.032S, sterile	07611819302624	2
04.025.438S	Screw ASLS4, length 48 mm, Titanium Alloy (TAN), only to be used with No. 08.025.032S, sterile	07611819302709	2
04.025.564S	Screw ASLS5, length 74 mm, Titanium Alloy (TAN), only to be used with No. 08.025.044S, sterile	07611819303096	2
04.025.418S	Screw ASLS4, length 28 mm, Titanium Alloy (TAN), only to be used with No. 08.025.032S, sterile	07611819302600	2
04.025.544S	Screw ASLS5, length 54 mm, Titanium Alloy (TAN), only to be used with No. 08.025.044S, sterile	07611819302990	2
04.025.524S	Screw ASLS5, length 34 mm, Titanium Alloy (TAN), only to be used with No. 08.025.044S, sterile	07611819302891	2
04.025.460S	Screw ASLS4, length 70 mm, Titanium Alloy (TAN), only to be used with No. 08.025.032S, sterile	07611819302815	2
04.025.440S	Screw ASLS4, length 50 mm, Titanium Alloy (TAN), only to be used with No. 08.025.032S, sterile	07611819302716	2
04.025.456S	Screw ASLS4, length 66 mm, Titanium Alloy (TAN), only to be used with No. 08.025.032S, sterile	07611819302792	2
04.025.420S	Screw ASLS4, length 30 mm, Titanium Alloy (TAN), only to be used with No. 08.025.032S, sterile	07611819302617	2
04.025.436S	Screw ASLS4, length 46 mm, Titanium Alloy (TAN), only to be used with No. 08.025.032S, sterile	07611819302693	2
04.025.562S	Screw ASLS5, length 72 mm, Titanium Alloy (TAN), only to be used with No. 08.025.044S, sterile	07611819303089	2
04.025.416S	Screw ASLS4, length 26 mm, Titanium Alloy (TAN), only to be used with No. 08.025.032S, sterile	07611819301597	2
04.025.542S	Screw ASLS5, length 52 mm, Titanium Alloy (TAN), only to be used with No. 08.025.044S, sterile	07611819302983	2
04.025.558S	Screw ASLS5, length 68 mm, Titanium Alloy (TAN), only to be used with No. 08.025.044S, sterile	07611819303065	2
04.025.522S	Screw ASLS5, length 32 mm, Titanium Alloy (TAN), only to be used with No. 08.025.044S, sterile	07611819302884	2
04.025.538S	Screw ASLS5, length 48 mm, Titanium Alloy (TAN), only to be used with No. 08.025.044S, sterile	07611819302969	2

04.025.454S	Screw ASLS4, length 64 mm, Titanium Alloy (TAN), only to be used with No. 08.025.032S, sterile	07611819302785	2
04.025.580S	Screw ASLS5, length 90 mm, Titanium Alloy (TAN), only to be used with No. 08.025.044S, sterile	07611819303140	2
04.025.434S	Screw ASLS4, length 44 mm, Titanium Alloy (TAN), only to be used with No. 08.025.032S, sterile	07611819302686	2
04.025.560S	Screw ASLS5, length 70 mm, Titanium Alloy (TAN), only to be used with No. 08.025.044S, sterile	07611819303072	2
04.025.540S	Screw ASLS5, length 50 mm, Titanium Alloy (TAN), only to be used with No. 08.025.044S, sterile	07611819302976	2
04.025.556S	Screw ASLS5, length 66 mm, Titanium Alloy (TAN), only to be used with No. 08.025.044S, sterile	07611819303058	2
04.025.520S	Screw ASLS5, length 30 mm, Titanium Alloy (TAN), only to be used with No. 08.025.044S, sterile	07611819302877	2
04.025.536S	Screw ASLS5, length 46 mm, Titanium Alloy (TAN), only to be used with No. 08.025.044S, sterile	07611819302952	2
04.025.575S	Screw ASLS5, length 85 mm, Titanium Alloy (TAN), only to be used with No. 08.025.044S, sterile	07611819303133	2
04.025.452S	Screw ASLS4, length 62 mm, Titanium Alloy (TAN), only to be used with No. 08.025.032S, sterile	07611819302778	2
04.025.468S	Screw ASLS4, length 78 mm, Titanium Alloy (TAN), only to be used with No. 08.025.032S, sterile	07611819302853	2
04.025.432S	Screw ASLS4, length 42 mm, Titanium Alloy (TAN), only to be used with No. 08.025.032S, sterile	07611819302679	2
04.025.448S	Screw ASLS4, length 58 mm, Titanium Alloy (TAN), only to be used with No. 08.025.032S, sterile	07611819302754	2
04.025.428S	Screw ASLS4, length 38 mm, Titanium Alloy (TAN), only to be used with No. 08.025.032S, sterile	07611819302655	2
04.025.554S	Screw ASLS5, length 64 mm, Titanium Alloy (TAN), only to be used with No. 08.025.044S, sterile	07611819303041	2
04.025.534S	Screw ASLS5, length 44 mm, Titanium Alloy (TAN), only to be used with No. 08.025.044S, sterile	07611819302945	2
04.025.470S	Screw ASLS4, length 80 mm, Titanium Alloy (TAN), only to be used with No. 08.025.032S, sterile	07611819302860	2
04.025.450S	Screw ASLS4, length 60 mm, Titanium Alloy (TAN), only to be used with No. 08.025.032S, sterile	07611819302761	2
04.025.466S	Screw ASLS4, length 76 mm, Titanium Alloy (TAN), only to be used with No. 08.025.032S, sterile	07611819302846	2
04.025.430S	Screw ASLS4, length 40 mm, Titanium Alloy (TAN), only to be used with No. 08.025.032S, sterile	07611819302662	2
04.025.446S	Screw ASLS4, length 56 mm, Titanium Alloy (TAN), only to be used with No. 08.025.032S, sterile	07611819302747	2
04.025.426S	Screw ASLS4, length 36 mm, Titanium Alloy (TAN), only to be used with No. 08.025.032S, sterile	07611819302648	2
04.025.552S	Screw ASLS5, length 62 mm, Titanium Alloy (TAN), only to be used with No. 08.025.044S, sterile	07611819303034	2
04.025.568S	Screw ASLS5, length 78 mm, Titanium Alloy (TAN), only to be used with No. 08.025.044S, sterile	07611819303119	2
04.025.532S	Screw ASLS5, length 42 mm, Titanium Alloy (TAN), only to be used with No. 08.025.044S, sterile	07611819302938	2
04.025.548S	Screw ASLS5, length 58 mm, Titanium Alloy (TAN), only to be used with No. 08.025.044S, sterile	07611819303010	2
04.025.528S	Screw ASLS5, length 38 mm, Titanium Alloy (TAN), only to be used with No. 08.025.044S, sterile	07611819302914	2
04.025.464S	Screw ASLS4, length 74 mm, Titanium Alloy (TAN), only to be used with No. 08.025.032S, sterile	07611819302839	2
04.025.590S	Screw ASLS5, length 100 mm, Titanium Alloy (TAN), only to be used with No. 08.025.044S, sterile	07611819303164	2
04.025.444S	Screw ASLS4, length 54 mm, Titanium Alloy (TAN), only to be used with No. 08.025.032S, sterile	07611819302730	2
04.025.570S	Screw ASLS5, length 80 mm, Titanium Alloy (TAN), only to be used with No. 08.025.044S, sterile	07611819303126	2
04.025.424S	Screw ASLS4, length 34 mm, Titanium Alloy (TAN), only to be used with No. 08.025.032S, sterile	07611819302631	2
04.025.550S	Screw ASLS5, length 60 mm, Titanium Alloy (TAN), only to be used with No. 08.025.044S, sterile	07611819303027	2
04.025.566S	Screw ASLS5, length 76 mm, Titanium Alloy (TAN), only to be used with No. 08.025.044S, sterile	07611819303102	2
04.025.530S	Screw ASLS5, length 40 mm, Titanium Alloy (TAN), only to be used with No. 08.025.044S, sterile	07611819302921	2
04.025.546S	Screw ASLS5, length 56 mm, Titanium Alloy (TAN), only to be used with No. 08.025.044S, sterile	07611819303003	2
04.025.526S	Screw ASLS5, length 36 mm, Titanium Alloy (TAN), only to be used with No. 08.025.044S, sterile	07611819302907	2
04.025.585S	Screw ASLS5, length 95 mm, Titanium Alloy (TAN), only to be used with No. 08.025.044S, sterile	07611819303157	2
	2 stk TEN instrument sæt.		
475.905	End Cap for TEN Ø 1.5 to 2.5 mm, Titanium Alloy (TAN)	07611819329126	2
475.900	End Cap for TEN Ø 3.0 to 4.0 mm, Titanium Alloy (TAN)	07611819197541	2
475.940	TEN - Titanium Elastic Nail Ø 4.0 mm, length 440 mm, Titanium Alloy (TAN), violet	07611819092983	6
475.935	TEN - Titanium Elastic Nail Ø 3.5 mm, length 440 mm, Titanium Alloy (TAN), light blue	07611819092990	6
475.930	TEN - Titanium Elastic Nail Ø 3.0 mm, length 440 mm, Titanium Alloy (TAN), gold	07611819093003	6
475.925	TEN - Titanium Elastic Nail Ø 2.5 mm, length 440 mm, Titanium Alloy (TAN), pink	07611819093010	6
475.920	TEN - Titanium Elastic Nail Ø 2.0 mm, length 440 mm, Titanium Alloy (TAN), green	07611819093027	6
475.915	TEN - Titanium Elastic Nail Ø 1.5 mm, length 300 mm, Titanium Alloy (TAN), violet	07611819285170	6